

WARNING LIGHT

1.



2.



3.



4.



5.



Wide Voltage Input



IDC 12-80V input, adaptable to diverse vehicle power systems

Reinforced Aluminum Casing



High-efficiency heat dissipation structure, significantly prolongs lifespan

ATOMBOTIX

Multi-Angle Adjustable Mount



Flexible mounting for precise warning coverage

Ultra-Bright LED



High visibility in daylight

Hyper-Focusing Lens




Long-distance light projection with less attenuation

High Protection




IP65 dust/water resistance, stable performance in harsh conditions

1.



#	Model	Appearance	Body Case	Voltage	Power	Light Color	Life	Dimension
1	AB-WL-1BR30W	Bar Shape	Aluminum	12-80V	30 W	Red/Blue	30000 h	150 × 42 × 42(mm)

2.



#	Model	Appearance	Body Case	Voltage	Power	Light Color	Life	Dimension
2	AB-WL-1BR18W	Bar Shape	Aluminum	12-100V	18 W	Red/Blue	30000 h	160 × 43 × 65(mm)

3.




#	Model	Appearance	Body Case	Voltage	Power	Light Color	Life	Dimension
3	AB-WL-1BR10W-mini	Dot/Arrow Shape	Aluminum	12-100V	18 W	Red	30000 h	160 × 43 × 65(mm)

4.



#	Model	Appearance	Body Case	Voltage	Power	Light Color	Life	Dimension
4	AB-WL-UBR30W	U Shape	Aluminum	10-110V	30 W	Red/Blue	50000 h	110 × 05 × 45(mm)

5.



#	Model	Appearance	Body Case	Voltage	Power	Light Color	Life	Dimension
5	AB-WL-UBR10W-mini	Arc-shape	Aluminum/Zinc	10-110V	10 W	Red/Blue	30000 h	62 × 54 × 50(mm)



www.atombotix.com
contact@atombotix.com
[in](#) [f](#) [v](#)

ATOMBOTIX

Your One-Stop Robot Building Partner